



#interactivetargets

User Manual

SQ Fire




sportquantum.com

Sanja Vukašinović

2019 European Games in the Women's
50-Metre Rifle Three Positions

Table of content



3	• Preface
6	• Application Usage and Features
7	• Starting and configuring the application
15	• Application and Target used
17	• Precision shooting
19	• Step One: Training or Contrats Setup
21	• Step One: Training
24	• Step One: Challenge
27	• Step Two: Setting up the shooting box
29	• Shooting Session
32	• Export data
40	• Technical specifications
53	• First installation procedure
62	• Service and Support
67	• Maintenance
71	• Guarantee
76	• General conditions of use
83	• Contact

Preface





The SQ Fire electronic target is engineered for 5.6mm rimfire (22 Long Rifle) disciplines at a distance of 50 meters. The target assesses the impact location on a robust armored steel impact plate, designed to capture both bullets and debris with a bullet recovery system. It is operated through the SQ Touch tablet. The system delivers real-time scoring accurate to the nearest tenth of a point. In its standard configuration, the SQ Fire interactive target and the SQ Touch tablet are linked via an Ethernet cable, although Wi-Fi connectivity is also available.

Technology

SPORT QUANTUM technology can accurately identify impacts by analyzing the shock wave. This groundbreaking innovation has resulted in four international technology patents, enabling the attainment of performance standards mandated by the ISSF and Olympic disciplines, including precision exceeding a tenth of a point.

To enhance

As progress relies on performance measurement, the SQ Fire enables shooters of all skill levels, from novices to competitors, to evaluate every facet of their shooting practice, monitor their advancement over time, and access effective training techniques.

Enjoy and share.

Whether you are an enthusiast or a competitor, SPORT QUANTUM technology provides an innovative approach to precision shooting training. Shooters can access a comprehensive library of training exercises centered on methodology, precision, and proper rhythm.

Competition

The SQ Fire target has been certified as compliant with international sport shooting regulations by the French Shooting Federation. As a result, the French Shooting Federation permits the use of this equipment throughout the national territory for all 5.6 mm rimfire competitions (22 Long Rifle) at a distance of 50 meters.

Certificate of Approval from the French Shooting Federation

DATE: January 23, 2024

LISTENERS: Jean-Louis GAYAUDON (No. B7799)

DESCRIPTION: Subsequent to the audits,

The SQ Fire electronic target system

developed and promoted by the company

SPORT QUANTUM

is affirmed to adhere to international sport shooting regulations.
Consequently, the French Shooting Federation permits the use of this
equipment on national territory for the 50 m rifle events.




Michel BACZYK - President of the French Shooting Federation

Application Usage and Features



Start-up and setting up the application






Start-up the application and establish a connection to the target.

Upon initiating the SQ Touch tablet, if the application does not launch automatically, please select the "SPORT QUANTUM APP" icon. The application should then connect to the target automatically.

If you encounter this page: (device not connected)

- Ensure that the cable is securely connected to both the SQ Touch and the SQ Fire when using a wired connection.
- If you are using Wi-Fi, please look at page 53 of this guide.




Battery charge indicator / autonomy in percentage

Your SQ Touch is now linked to your SQ Fire target, which is fully operational and prepared to receive your shots.

Click "ENTER" to commence your shooting session.

Application Home Page



This application is, by default, always in a locked state.



- **Application and Target Configurations**



Connection status to target
(green = operational; red = connection lost)




Useful links/ Additional information and language selection



- **Shutdown your target.**

Application and Target Configurations

- Click  to access the application and target settings page.



Select your preferred language (8 options). An app restart is required for changes to take effect.

SQ Touch Light and Dark Modes

Standard difficulty for practice and exercises

Expert: presents advanced information by default (average score, etc.)

Not applicable to SQ Fire objectives.

Application and Target Configurations

- Displaying your target configurations:




The screenshot shows the configuration interface for the SQ Fire application. It includes settings for card patterns, brightness, device distance, inactivity timeout, display holes, last impact display, and impact color. A 'VERTICAL OFFSET' slider is set to 50m. A 'Show all the impacts' toggle is at the bottom right.

- Not applicable for SQ Fire objectives. (points to the top right status icons)
- Not applicable for SQ Fire objectives. (points to the target selection area)
- Select the target position (shooting distance) within the range of 25 to 50 meters. (points to the 'VERTICAL OFFSET' slider)
- Not applicable for SQ Fire objectives. (points to the 'Display holes' toggle)
- Color of the black regions on the SQ Touch application (points to the 'Card color' selection)
- Display scores at the match end (points to the 'Show all the impacts' toggle)

Application and Target Configurations

- Lock the application now for this session.



Secure the default application. All protected actions and settings must be accessed with a password.

Lock the "Exit button." The user will be unable to exit the application without a password.


Lock "Settings." The user will be unable to modify target and application settings without a password.

Change the existing password. The default password is "1896."


Restore all settings to factory defaults, including login configurations.


Remove Kiosk Mode: The tablet's internal settings and other applications will remain accessible even when the app lock is activated. If the kiosk has been removed, re-enabling it can only be performed by an administrator.

Application and Target Configurations




How can one unlock the application?


1. Select the icon. 
2. Please input the password (default: "1896").
3. Select "Unlock."


Once the app is unlocked, all buttons and features restricted by this icon  will become accessible.

Note : A complete reset of the application by an administrator is the only solution in the event of password loss.



Valuable resources


By clicking  you will discover the useful links provided below.




Simply scan the QR codes with your mobile device to access the latest documents and information on the SPORT QUANTUM website.

Access system information. This information may be requested by SPORT QUANTUM help desk.

Application and Target used



Disciplines and activities selection.




Select your discipline: rifle or pistol. You may change your selection at any time by returning to the main menu.

Then select your activity: Precision Shooting.

Precision shooting



Select your desired visual in two steps.



Step One: Discipline


Select: Training / Challenge and subsequently the relevant settings.

As example :
Free shooting
Contrats
Pyramid
Longest series


Step two: selecting the cardboard

Select the visual of the card from the official national or international federations.


Step One: Training or Competition Setup




Selection of Discipline: Training or Challenge



Select the discipline: Training / Challenge



Mode (gray cursor) **TRAINING**




Mode (gray cursor) **CHALLENGE**

Select your discipline

First stage: Training


- Free shooting
- Contracts




Selection of discipline

Contracts- Free shooting

Select a discipline

• Tailor your exercise regimen! 




The image displays three overlapping screenshots of the SQ Fire app interface, illustrating the process of selecting a discipline and customizing a contract for free shooting.

- Left Screenshot:** Shows the 'DISCIPLINE' tab selected. Under 'PICK A DISCIPLINE', 'Free shooting' is highlighted with a green arrow pointing to it. Below this, under 'CONTRACTS', 'Contract', 'Pyramid contract', and 'Longest series' are listed.
- Middle Screenshot:** Shows the 'DISCIPLINE' selection screen. 'TRAINING - FREE SHOOTING' is selected, indicated by a green arrow. Below it, 'CARD' and 'SIM RIFLE' are visible. A central circular button with a play icon is also highlighted with a green arrow.
- Right Screenshot:** Shows the 'CUSTOMIZE' screen. It lists various parameters for the contract: 'Series number', 'Proportion of training', 'Aspects per series', 'Lighting duration (min)', and 'Match duration (min)'. Each parameter has a corresponding input field with a minus/plus icon. A green arrow points to the 'Proportion of training' field. At the bottom, there is an 'ADD TO FAVORITES' button.

Selection of discipline

Contracts- Free shooting



Contract Objective – Key Considerations
Achieve 5 or 10 points with the fewest shots possible. Depending on the selected level, each shot will either earn you points or incur penalties.

Contract target - Points

Reach 5 or 10 points with as few shots as possible. Depending on the chosen level, each shot will give you points... or penalties!

Hard	Medium	Easy	Points
10.9 - 10.4	10.9 - 9.4	10.9 - 8.4	+2
10.3 - 10.0	9.3 - 9.0	8.3 - 8.0	+1
9.9 - 9.4	8.9 - 8.4	7.9 - 7.4	0
9.3 - 9.0	8.3 - 8.0	7.3 - 7.0	-1
8.9 - 0	7.9 - 0	6.9 - 0	-2

Contract target - Pyramid




The goal is to shot every score present within the pyramid. Each floor is at least equal to the previous one. Challenge more yourself chosing the 'bottom-top' approach. Thanks to this exercise you will be challenging yourself either during each shot or with the view to do a global performance.


Longest series "Contract" target

Test your discipline, stamina and mental strength by shooting the longest possible series without any misses. You can adjust the degree of difficulty according to your specific requirements.


Step One: Challenge

- **DSB**
- **FFTIR**
- **FSCF**
- **ISSF**
- **WSPS**

ORGANISATION	
 DSB - 15	
 FFTIR - 6	
 FSCF - 2	
 ISSF - 4	
 WSPS - 1	



Selection discipline: Challenge



Selection of Discipline: Training / Challenge


Selection of organization
(DSB/FFTIR/FSCF/ISSF / WSPS)

Selection of discipline within the organization


Others Distances button is an option , if you want to bring your SQ Fire Target at 10 meter Air Rifle

Selection discipline: Challenge

Selection of Organisation



ISSF discipline
(Default setting)



DSB




FFTIR




FCSF



WSPS



Step Two: Setting up the shooting box




Selection of Shooting Card


Selection of Cardboard

ISSF 50m Rifle
(Default setting)


FFTIR 50 m TAR 22LR rifle
remember to use C50
cardboard on the SQ Fire




Shooting session



Shooting session



Impact and Score Display Configurations



Click on this icon located in the upper right corner of the SQ Touch.

Score display format (integers, decimals, fractions)

Zoom mode (adaptive to fit impacts, centered to maintain the target in the middle)

When Grouping is selected in the display options, the red clustering circle signifies the average dispersion of the current impact series. The X, Y, and ϕ values represent the coordinates of the center and the diameter of this grouping circle.

Time: stopwatch for every shot

Conceal the effects

Display impacts in increments of 1, 5, or 10.

50M RIFLE PRONE

343.0 95 1*

Shot	Score	Time	Group
1	10	92.2	
2	10	93.9	
3	10	96.2	
4	6	60.7	1*

Export

- PDF
- QR Code
- CSV


Scoring

- 100 Integer
- 1/10 Decimals
- Teilwertung

Display


- Adaptive zoom
- Centered zoom
- Grouping
- Timings
- Hide impacts
- Group size

Export your data




Save **your results (score)**

Select this icon



Click on "PDF" or "CSV" to export the data to SQ Touch.

Save your results in PDF or CSV file



Please enter your notes or comments and click EXPORT.

Click on the PDF icon.

The file will be stored in the "Downloads" directory of the SQ Touch tablet.


You may designate the file name and save it.

Exporting and copying to a USB drive is performed outside the application or by connecting the SQ Touch to a computer.

If your target is linked to [SynQro](#), you can access your data and results directly through the supervisor.


Export: QR code generator

A convenient way to export shooting results directly to a smartphone using a QR code generator. This method simplifies the process compared to exporting PDF and CSV files, especially in kiosk mode




Export: QR code generator


- On your phone or tablet, open the built-in camera app.
- Point the camera at the QR code.
- Tap the banner link that appears on your phone or tablet.




Click on "QR Code"




- On your phone you will be able to analyse all your results



- On your phone you will be able to see dashboard statistics



Online monitoring report



You can also easily generate your pdf or CSV file, and send it by email

And you can also easily **share on social** !



Technical specifications




SQ Fire – Overview



Unboxing of your SQ Fire target:

- 1 x SQ Fire target
- SQ Touch (shooter interface) featuring a specialized application
- Replaceable protective frame
- 75-meter RJ45 cable
- 15-meter RJ45 cable
- Waterproof Power over Ethernet switch (for 2 devices)
- Wall-support bracket
- 2 x Waterproof boxes 50 meters 22 LR


SQ Fire – Overview



Designed for complete reparability, each component of the SQ Fire target can be individually ordered should it sustain damage.

- Interchangeable components:
 - Water-resistant cardboard, 50 meters, LR22
 - Water-resistant cardboard type C50
 - Waterproof cardboard, 10 meters
 - EPDM strip (internal target safeguarding)
- Front face protection shield
 - Front drawer panel
- Measuring dish
- Ball retrieval drawer
 - Right side
 - Left side
 - Upper cover

SQ Fire – Protective Frame




Never fire at the SQ Fire Target without its frame.

The frame is secured to the target using four BTR screws; it is advisable to regularly inspect the tightness of these screws.

If damaged, this frame must be substituted.






NB: All dimensions are stated in millimeters (mm).

NB: All dimensions are stated in millimeters (mm).



DETAIL A

SCALE 2:5



The front guard is a tilting plate allowing access to the lead collector. The holding skirt allows for storing lead dust. The measuring plate is tilted at 30° allowing projectiles to be directed towards the lead collector and reducing premature wear of the latter.

SQ Touch – Overview




SQ Touch – Connectivity Solutions

USB enables external devices, such as USB sticks or remote controls, to transfer files, including exporting scores and updating applications.

The LAN port enables direct connection of your SQ Touch to the local network via Ethernet or Power over Ethernet (PoE), facilitating both data transmission and power supply.

HDMI for direct connection to a screen or television (tablet display)



micro SD slot

USB to RS-232 serial output

The OTG, or On-The-Go, adapter enables the connection of your tablet to a computer for file transfer purposes, such as exporting scores or updating applications.

3.5mm audio headphone connectors

A DC 12V power supply should be connected if the tablet is not powered through the PoE LAN port.

SQ Touch – Configuration

The SQ Touch Power button is situated on the back panel.




Return to the SQ Touch homepage

Modifying the brightness of the SQ Touch

Modifying the audio settings of the SQ Touch


SQ Touch – Remote Controller

Remote control with a 2-meter cable.
Dimensions (W x H x D): 110 x 30 x 40
mm, weight: 0.100 kg





TRIAL or revert to TRIAL

Flyer for printing and placing near the remote control.




Option to secure the SQ Touch to the shooting table




Power and Connectivity

Two nominal wiring diagrams are recommended by SPORT QUANTUM; additional studies may be conducted based on the number of targets and the configuration of your shooting range.



OPTION 1



OPTION 2

Technical specifications

Description	Technical specifications
Dimensions	Width 405 mm x Height 510 mm x Depth 315 mm
Weight	Target 24 kg (Package weight -> 35 kg)
Primary power source	Power over Ethernet (PoE)
Power supply to the objective	12 V DC
Temperature	Operating range: 0°C to 35°C; storage range: -10°C to 60°C (storage below 0°C may lead to premature system wear).
Humidity	8-80%
Energy consumption	10 to 15 W target and tablet

Initial installation procedure



Initiating the SQ Fire

The target must be firmly secured.

- Utilizing the supplied wall bracket.
- Utilizing a selectively arranged tripod.

For additional mounting options, please consult the accessory instructions.

Shooting Distances & Height of Target Centres

(sources EDITION 2022 (First Print 01/2023) Effective 1 January 2022 © ISSF)

- Shooting distances must be measured from the firing line to the target face.
- Target center must be within the following heights when measured from the level of the firing point floor:

Range Standard	Height	Height Variation allowable
50m	0.75m	$\pm 0.50\text{m}$
25m	1.40m	$+0.10\text{m}/-0.20\text{m}$
10m	1.40m	$\pm 0.05\text{m}$



Start SQ fire target




- Attach the target to the stand utilizing the two hooks positioned on the rear of the target.
- Modify the angle of the target by utilizing the "verticality" bolts.

Verify vertical alignment with a spirit level.

Position the appropriate SQ Touch tablet on the shooting lane table.

- The target is inherently powered electrically through its PoE port.
- The connection to the SQ Touch tablet can be established through either PoE or Wi-Fi, contingent upon the user's preferences and limitations.
- The SQ Touch tablet can be powered by
 - its internal battery (providing 2-3 hours of autonomy)
 - Through the PoE port
 - Via the included 12V power supply.





IMPORTANT prior to each use:

- Ensure that the bullet or slag bucket, or drawer, is securely positioned and fully inserted into the target.
- Ensure that the front cover is firmly secured with the two thumbscrews.
- Ensure that the protective frame is firmly affixed to the target.
- Ensure that the top cover is securely in position.
- Ensure that no electrical cables are in the line of fire.

IMPORTANT: Grounding of SQ Fire Targets

SQ Fire targets, which are electrically powered and connected to a communication network, are used in environments where electromagnetic interference, power surges, or insulation faults may occur. Proper grounding is therefore essential.

Grounding objectives

- Measurement reliability: Minimize interference and ensure the accuracy of the embedded sensors.
- Safety: Reduce the risk of overvoltage or electrostatic discharge (ESD).

Recommended cable type

- Flexible copper conductor with a minimum cross-section of 2.5 mm²
- Green/yellow insulation, compliant with applicable electrical standards

Connection point

SQ Fire target is equipped with a dedicated grounding connection point, located at the rear of the chassis (marked with the grounding symbol).


Inspection and maintenance

Check the grounding continuity upon installation.

Perform an annual inspection or after any technical intervention.



Device Control



Connection status to target (click to access to **Device Control**)

- **Various potential statuses:**



The SQ application is linked to the target.



The SQ application is not connected to the target. Please consult the troubleshooting section on page 65.



The SQ application is attempting to reestablish a connection to the target.



Device Control




Deactivate the target.

Number of hits received by the target.


Number of hits received by the target.
(reset each time the plate is replaced or during maintenance)

System Information



Wi-Fi signal strength

Designate the name of the firing lane (utilized by the supervisor).




Target firmware update. Please consult the maintenance section for further details.

Currently configured target IP address and connection status.

If needed, you may modify the configured IP address that the application utilizes to connect to the target.


SHOW DEVICES



Subsequently, select whether this new connection will be utilized automatically by clicking the appropriate "Auto" button.

Service & Support





This waterproof unit is secured to the target frame using four BTR screws.

Any tampering with the electronic unit will void the hardware warranty.

It must be returned directly to SPORT QUANTUM for all maintenance work.

Impact plate output



Ethernet connector for power supply
and data transmission to the target.

Service and Assistance



The serial number is positioned at the front of the target, in the bottom right corner.

Please consistently reference the serial number in all correspondence with our support team.

- The target and tablet are powered on, but no connection

You have a wired installation, ensure that the RJ45 connectors are properly connected.

Verify the connection settings for the SQ App/target p60.

Verify that the SQ application and the target are running compatible versions (in X.X.X format).

The target software version is accessible in the "Target Information" menu by selecting the Wi-Fi icon. The application version is located at the bottom left of the SQ Touch home page. The first two digits must match (e.g., Application v2.0.1 and target software v2.0.0).

If the versions are incompatible, please contact support to update one of the two media.

- Impact not observed

Ensure that there is no "parasite impact" notification displayed on the App icon (🔔).

If you encounter "parasitic impact messages," cleanse the internal surfaces using rubbing alcohol (never acetone!).

Verify that the measuring plate connector is properly attached to the electronic box.

Should the issue continue, please reach out to our support service.

Maintenance



Suggested maintenance protocol



Adhere to the specified maintenance procedures:

- The bullet/slag drawer should be emptied approximately every 2,500 shots (i.e., when it reaches two-thirds of its capacity).
- At the same frequency, utilize equipment appropriate for lead cleaning.




Warning





Handling lead-based warheads or slag necessitates the use of personal protective equipment (PPE) and suitable containers.

- Remove the two flat head screws situated at the base of the side panels of the target.
- Tilt the front cover forward.
- Pull the drawer forward from the bottom of the target (you will need to return it to the bottom of the target).
- Remove all items from the drawer and place them into the designated receptacle.
- To replace the drawer, execute the procedure in reverse order: 4-3-2-1.


Suggested maintenance protocol



- Should the impact plate exhibit considerable deformation, it must be replaced with a new plate provided by SPORT QUANTUM.
- If the protective frame is substantially deformed, replace it with a new frame provided by SPORT QUANTUM.
- To detach the protective frame, gently unscrew the four screws (1 and 2 at the top, and 3 and 4 at the bottom on the sides of the target).
- Ensure that the four screws are consistently tightened to guarantee the frame remains securely in place during shooting.





Suggested maintenance protocol



The shooting cardboard can be easily changed or replaced without the need for tools.

- Simply slide it vertically: upward to extract and downward to insert a new one.
- The shooting cardboard should be positioned on the two adjustable stops (Reference A) and glide within the side slides (Reference B).



Guarantee





Guarantee



SPORT QUANTUM guarantees that all products delivered will be devoid of any physical and manufacturing defects under normal usage and service for a duration of two (2) years from the date of delivery.

If a product is found to be defective, SPORT QUANTUM or the local distributor may choose to either replace it with a product of at least equivalent quality or repair it using reconditioned or new spare parts, as deemed appropriate by the company or distributor.

The customer must provide SPORT QUANTUM with the requisite time and opportunity to perform the repair or replacement.

This warranty is valid only if the original invoice, which indicates the date of purchase, the type of product, and, where applicable, the name of the distributor, is included with the defective product.

SPORT QUANTUM retains the right to decline a complimentary repair if the required documents are absent, incomplete, or illegible.

The warranty is rendered invalid in the circumstances outlined in the General Conditions of Sale. Additionally, the warranty does not extend to components subject to normal wear and tear, as detailed in the general conditions of product use.

Warranty Extension If the Customer opts for an annual warranty extension, the Warranty and Repair Conditions remain entirely valid, except for the duration of the warranty.

The duration of the warranty is:

For new products: Two (2) years from the date of collection by the carrier.

For repaired products: Six (6) months on repaired products and on replaced spare parts, commencing from the date the carrier collects the repaired products.

In the context of a subscription and for the "continuous" delivery of Solutions: at any point during the subscription term.



Management deficiencies during the warranty period



The Service and Support Form is available for download at <https://sportquantum.com/support/contact/> and must be properly filled out and included with any defective item.

Diagnostic fees may be imposed on the customer if the form is not submitted.

- During the warranty period, SPORT QUANTUM or the local distributor will coordinate transportation at their discretion.
- SPORT QUANTUM will bear the expenses associated with the repair and return of the item to the customer, provided that the defect falls within the warranty coverage.
- If the defect is not covered by the warranty, as outlined in the General Conditions of Sale and the General Conditions of Use for the product, the request will be classified as a defect not covered by the warranty. Consequently, the Customer will be responsible for transport costs, administrative fees, and repair expenses.



Out-of-warranty fault resolution



The service and support form is available for download at <https://sportquantum.com/support/contact/> and must be properly completed and included with any defective item.

Shipping costs to SPORT QUANTUM or the local distributor, as well as return costs, are the responsibility of the customer.

An administrative fee will be applied to each repair request.

Labor will be billed, and parts will be charged at their catalog price at the time of repair.

For any urgent repair requests, please reach out to SPORT QUANTUM or your local distributor.

If no defect is identified, the administrative and diagnostic fees will still be billed to the customer.



General Statement on Recycling

SPORT QUANTUM urges owners of electronic devices to recycle their equipment responsibly when it is no longer required.

Recycling Information in the European Union

The top plate (impact plate) and the protective frame must be disposed of as recyclable waste.



Crucial information regarding batteries and WEEE

Batteries and electrical and electronic equipment bearing the crossed-out wheellie bin symbol must not be discarded as unsorted municipal waste. Batteries and waste electrical and electronic equipment (WEEE) must be handled separately through the collection framework provided for customers to return, recycle, and treat batteries and WEEE.

Where feasible, batteries should be removed and isolated from WEEE prior to its inclusion in the waste collection stream. Batteries must be collected separately utilizing the established framework for the return, recycling, and treatment of batteries and accumulators.

SPORT QUANTUM products available in the European Union adhere to the stipulations of Directive 2011/65/EU, which restricts the use of specific hazardous substances in electrical and electronic equipment.



Declaration of conformity to CE standards required

European Union Conformity

General Terms of Use





The following rules of use outline the rights and obligations of SPORT QUANTUM customers when utilizing a product or solution. It is the Customer's responsibility to communicate these Rules of Use to all Users of the Products and Solutions and to ensure their adherence. In the case of an authorized minor User (under 18 years old), the Customer must convey these Rules of Use to the holder of parental authority, who must accept them and ensure that the minor comprehends them.

SPORT QUANTUM reserves the right to amend these Rules of Use periodically. Such modifications will be published on the website www.SportQuantum.com thirty (30) days prior to their effective date. It is the responsibility of each Customer to remain informed of the current Rules of Use at all times.



To ensure optimal security in the utilization of the Products, the Customer and/or User must specifically, though not exclusively, ensure that:

The location where the product is installed and utilized complies with the safety requirements for sport shooting, in accordance with the prevailing regulations of the country and the usage guidelines established by the International Shooting Sport Federation (I.S.S.F.) or the national Shooting Sport Federation where the target is employed.

All spectators and individuals must remain behind the shooter.

All safety regulations concerning the use of weapons must be adhered to.

It is essential to aim directly at the target, with the weapon held strictly perpendicular to the hanging plane, while the target itself is positioned vertically. The shot must strike the designated surface, specifically the inclined plate.

All users and spectators are monitored by an individual qualified to ensure adherence to all safety regulations governing the practice of sport shooting, in accordance with the previously mentioned safety requirements.

Furthermore, to mitigate the risk of electrocution, never submerge the cord, plug, or appliance in liquid, and refrain from performing maintenance operations while the equipment is energized.



SPORT QUANTUM offers electronic targets; however, it assumes no responsibility for their usage, the handling of weapons, or adherence to safety regulations and best practices associated with this sport. Due to its inherent risks, these guidelines must be consistently observed by all participants at all times.

The products are designed for seasoned sport shooters who possess a comprehensive understanding of the rules and practices of this discipline as established by the International Shooting Sport Federation (ISSF).

SPORT QUANTUM Customers, along with any other User of a Product, acknowledge the inherent risks associated with this sport and commit to adhering to all safety regulations relevant to its practice during any use of the Product, regardless of the purpose or location (whether at a Sport Shooting club or any other appropriate venue for Sport Shooting). Specifically, though not exclusively, it is imperative to ensure that:

Weapons are to be unloaded and secured when not in immediate use.

A loaded firearm is consistently grasped in the hand.

A loaded firearm is consistently aimed at the target.

Minors are required to adhere to the restrictions on access to weapons as stipulated by current legislation.

Terms of Use for Enhanced Utilization



To guarantee the effective operation of the Product and the Solutions, it is essential to adhere to the environmental conditions required for the use of such a target, particularly:

In the event of a malfunction, issue, or damage to the Product, the Customer and/or User must promptly disconnect it and contact SPORT QUANTUM After-Sales Service at their earliest convenience.

If the product exhibits any signs of malfunction during operation, disconnect it immediately.

Do not utilize a defective unit or attempt to repair it independently.

If the appliance falls or is inadvertently submerged in liquid, disconnect it from the power source immediately. Refrain from using it thereafter.

Humidity must remain below 80%.

The product is designed for outdoor use.

The product is a precision instrument. It should not endure shocks beyond the impact of balls on the metal plate.

Terms of Use for Enhanced Utilization



- Always ensure the protective frame is in place before shooting at the target.
- Always ensure the front cover is in place before shooting at the target.
- Never aim at the target without the bullet or slag drawer in place.
- The product must be hung with care and secured adequately to support the weight of the target over an extended duration, as well as to endure the force of impacts during shooting.
- The front frame must be precisely aligned. If the target frame is compromised, the target should not be utilized.
- The power cable of the target must be safeguarded against gunfire at all times.
- In circumstances where high reliability is essential, such as in official competitions, it is highly advisable to utilize a wired connection.
- In any event, refrain from using the Product for purposes other than those for which it was intended.





Update the SQ-App and the target software.



It may be necessary, periodically, to acquire updates or new versions of the solutions and/or the product firmware, particularly to rectify potential bugs and to accommodate any modifications in the framework established by the ISSF – International Shooting Sport Federation.

It is the responsibility of the Customer and/or User to ensure they possess the most current version of the SQ Application and firmware. The latest updates are provided by SPORT QUANTUM through all available channels. However, it is prudent to verify the compatibility of the Product's hardware version with the available software versions beforehand.

Contact



Customer Support

Customer support in France

e-mail: support@sportquantum.com Phone: +33 9 80 08 70 87

Beyond France

Please reach out to the SQ Fire distributor or the customer service team at SPORT QUANTUM.

Postal Address

4 rue René Razel
91400 Saclay, France